

| | SCALE (ft) | | |
|---|------------|-------|--|
| | | | |
| 0 | 1,500 | 3,000 | |

Note:

- Simulated concentrations from fate and transport groundwatermodel compared to measured concentrations obtained in 2005/2006.
- Basemap from: "Remedial Investigation/ Feasibility Study Report Sauget Area 2", URS Corporation, St. Louis, Missouri, January 30, 2004.
- The residual value plotted is the difference between simulated and measured values.
 Positive residuals indicate model overestimation while negative residuals indicate model underestimation.

Well ID Residual in mg/L

. _ . . .

LEGEND

Model Under Predicts by > 2 mg/L

1.5 - 2 mg/L

♦ 1.0 - 1.5 mg/L

▲ 0.5 - 1.0 mg/L

♣ up to 0.5 mg/L

Model Over Predicts by

> 2 mg/L

1.5 - 2 mg/L

1 - 1.5 mg/L

▲ 0.5 - 1 mg/L

♣ up to 0.5 mg/L



| Scale: As Shown | FIGURE 62 |
|-----------------|------------------|
| Revised: | Approved By: CJN |
| 22-Feb-08 | Reviewed By: CJN |
| G-2935 | SKF/CDM |

Spatial Correlation Between Simulated and Measured Concentrations 2,4-Dichlorophenoxyacetic Acid: Middle Hydrogeologic Unit (Layer 2 in Model)

REGIONAL GROUNDWATER FATE AND TRANSPORT MODEL American Bottoms Aquifer